

1600x3200 mm



THE NEW FRONTIERS OF SMART MARBLE

Dex Stone is a flourishing center for Italian design and tiles. Dex Stone is a new conglomerate that offers a rich array of products and services in terms of design and manufacturing of tiles. Dex Stone represents unparalleled technical, artistic and organizational standards that distinguish it from its peers.

Dex Stone is the essence of years of rigorous research. In its core efforts, Dex Stone epitomizes the urge to establish new standards and norms in the industry.

Over decades of experience has gone into the makings of this ambitious venture that is set to revolutionize art and craft of manufacturing tiles. Based on ground - breaking research, Dex Stone has conceptualized its ravishing designs and world - class manufacturing process.



BEHOLD CHARM
IN YOUR SPACES
WITH CLASSY &
ELEGANT SHADES.



APPLICATION Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR \ WINDOW
FRAME



FIRE PLACE



EXTERIOR AREA



TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE



HYGIENIC




RESISTANT TO UV RAYS







PRODUCT RANGE




BLACK BODY

THICKNESS
12 & 20 MM


Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.




BLACK FUSION



DYNAMIC GOLD




GOLD BLACK



ELEGANT BLACK




ENFIRE DORE




JUPITER BLACK _BM



LUXOR BLUE _BM



MARQUINA NERO




PORTE NOIR



SALINA BLANCO



THUNDER BLACK _BM




TORQUE NERO



TITANIUM STEEL _BM



VINTAGE ONYX _BM



WAVE BLACK



PRODUCT RANGE









WHITE BODY

THICKNESS
12 & 20 MM

Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.



				
ALEX CALACATTA	ALFREDO AQUA	APUANE STATUARIO	ARABESCATO GOLD	ALFA WHITE
				
ANGELO WHITE	AMAZONITE	APOLLO WHITE	ARDEN WHITE	BIANCO SUPERIOR
				
CALCATTÀ ULTRA	CALCATTÀ BONAZO	CLAUDIA ONYX	CALCATTÀ BORGHINI	CAPRICORN GOLD
				
CARRARA FEEL	CARRARA GOLD	DELMARE	EXOTIC NATURAL	FLUDIC WHITE
				
ICELAND	IMAGINE GREEN	LIMOD SILK	MICA ROCK	MIRACLE ONYX
				
NOVELLA	OSCAR WILDE	PANDA WHITE _BM	PEARL CREAM ONYX	PATAGONIA BIANCO
				
ROMAN CARARA	STATUARIO BELISIMO	STATUARIO ALTISSIMO	STATUARIO DELICATO	STATUARIO FAIRY _BM
				
STATUARIO NATURAL	STATUARIO PEARL	SANTONA ASH	TEMPAS BIANCO	VENING STATUARIO
				
WAVE SILK				





PRODUCT RANGE




**GREY
BODY**

THICKNESS
12 & 20 MM

Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.




ARMANI SANTONA



ATHENS GREY




CRESTOLA GREY




GLISTER GREY



BAGNARA




PIETRA GREY



SONATA GREY



VERSACE GOLD



HERICAN PEARL




HERICAN GREY




ROSTIC BIANCO



ROSTIC ASH




TORQUE ASH



TORQUE GREY

PRODUCT
RANGE



IVORY
BODY

THICKNESS
12 & 20 MM



Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.




ALFA BEIGE



BASALTO BEIGE



BOTTOCHINO VENATO



BOSCO BEIGE



TAJMAHAL BM



HERICAN TUSK







AVAILABLE IN

GLOSSY & MATT FINISH

Glossy slabs are smooth-surfaced, flat pieces of material commonly used in construction and interior design. They are polished to create a reflective surface and are popular for use as countertops, flooring, and wall cladding due to their sleek appearance and durability.



BIANCO SUPERIOR

WHITE BODY

SIZE
1600x3200 MM



FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



GOLD BLACK

BLACK BODY

SIZE
1600x3200 MM

FINISH


THICKNESS

12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ELEGANT BLACK

BLACK BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



JUPITER BLACK_BM

BLACK BODY

SIZE
1600x3200 MM



FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



LUXOR BLUE_BM

BLACK BODY

SIZE
1600x3200 MM

FINISH


THICKNESS

12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



MARQUINA NERO

BLACK BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



SALINA BLANCO

BLACK BODY



SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB



THUNDER BLACK_BM

BLACK BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM





INDUCTION
SLAB

RANDOM : 02



VINTAGE ONYX_BM



VINTAGE ONYX_BM

BLACK BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ALEX CALACATTA



ALEX CALACATTA

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



APUANE STATUARIO

WHITE BODY

SIZE
1600x3200 MM



FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ARABESCATO GOLD

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ANGELO WHITE

WHITE BODY

SIZE
1600x3200 MM


FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



AMAZONITE

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



RANDOM : 02



APOLLO WHITE

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



RANDOM : 02



BLACK FUSION



BLACK FUSION

BLACK BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



TORQUE GREY

GREY BODY

SIZE
1600x3200 MM

FINISH	THICKNESS
MATT	12 & 20 MM



RANDOM : 02



CALCATTÀ ULTRA

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



CLAUDIA ONYX

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



CAPRICORN GOLD



CAPRICORN GOLD

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



CARRARA FEEL

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



CARRARA GOLD

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM




INDUCTION
SLAB

RANDOM : 02



EXOTIC NATURAL



EXOTIC NATURAL

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



FLUDIC WHITE

WHITE BODY

SIZE
1600x3200 MM


FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ICE LAND

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



IMAGINE GREEN

WHITE BODY

SIZE
1600x3200 MM


FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



TITANIUM STEEL_BM

BLACK BODY

SIZE
1600x3200 MM


FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



MICA ROCK

WHITE BODY

SIZE
1600x3200 MM



FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



MIRACLE ONYX

WHITE BODY

SIZE
1600x3200 MM



FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



NOVELLA

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



PEARL CREAM ONYX



PEARL CREAM ONYX

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ROMAN CARARA

WHITE BODY

SIZE
1600x3200 MM



FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



STATUARIO BELISIMO

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB



PATAGONIA BIANCO



PATAGONIA BIANCO

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



STATUARIO DELICATO

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



STATUARIO FAIRY_BM

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



CALCATTÀ BORGHINI

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



STATUARIO NATURAL

WHITE BODY

SIZE
1600x3200 MM


FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ENFIRE DORE

BLACK BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



SANTONA ASH

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



VENING STATUARIO

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



RANDOM : 02



ARMANI SANTONA

GREY BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ATHENS GREY

GREY BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



HERICAN PEARL

GREY BODY

SIZE
1600x3200 MM

FINISH	THICKNESS
MATT	12 & 20 MM



RANDOM : 02



BAGNARA

GREY BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



PIETRA GREY

GREY BODY

SIZE
1600x3200 MM



FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



SONATA GREY

GREY BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



VERSACE GOLD

GREY BODY

SIZE
1600x3200 MM

FINISH
GLOSSY / MATT

THICKNESS
12 & 20 MM




INDUCTION
SLAB

RANDOM : 02



PANDA WHITE_BM



PANDA WHITE_BM

WHITE BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



BASALTO BEIGE

IVORY BODY

SIZE
1600x3200 MM

FINISH
MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



BOSCO BEIGE

IVORY BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



TAJMAHAL BM

IVORY BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



AVAILABLE IN

MATT FINISH

Matt slabs are flat pieces of material commonly used in construction and interior design. Unlike glossy slabs, matt slabs have a non-reflective, textured surface that gives a more natural and subdued look.





TORQUE NERO

BLACK BODY

SIZE

1600x3200 MM

FINISH

MATT

THICKNESS

12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ALFREDO AQUA

WHITE BODY

SIZE
1600x3200 MM


FINISH
MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



WAVE SILK

WHITE BODY

SIZE
1600x3200 MM

FINISH
MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



GLISTER GREY

GREY BODY

SIZE
1600x3200 MM

FINISH
GLOSSY & MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



HERICAN GREY

GREY BODY

SIZE
1600x3200 MM

FINISH
MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



ROSTIC BIANCO

GREY BODY

SIZE
1600x3200 MM

FINISH
MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB



TORQUE ASH

GREY BODY

SIZE
1600x3200 MM

FINISH
MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



HERICAN TUSK

IVORY BODY

SIZE
1600x3200 MM

FINISH
MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02



WOOD SELECTRA

IVORY BODY

SIZE
1600x3200 MM

FINISH
MATT

THICKNESS
12 & 20 MM



INDUCTION
SLAB

RANDOM : 02




40FT. CONTAINER

IRON A-FRAME PALLETS | 1600x3200 MM



PCS/BOX	THICKNESS	PALLET DETAILS	CNT SIZE	PALLET SIZE IN CM	BOX PER PALLET	TOTAL PALLET IN CNT	TOTAL BOX IN CNT	SQ.MTR PER BOX	WEIGHT PER BOX/KGS	TOTAL SQ.MTR IN CNT	TOTAL NET WEIGHT IN CNT	TOTAL GROSS WEIGHT IN CNT
1	12 MM	HORIZONTAL	40 FCL	75*325*198	20	9	180	5.12	146	921.60	26280.00	27280.00
1	20 MM	HORIZONTAL	40 FCL	75*325*198	13	9	117	5.12	230	599.04	26910.00	27910.00
12 MM	COVERAGE AREA PER SLAB IN SQ.FT		55.11		20 MM	COVERAGE AREA PER SLAB IN SQ.FT		55.11				
	COVERAGE AREA PER SLAB IN SQ.MTR		5.12			COVERAGE AREA PER SLAB IN SQ.MTR		5.12				
	WEIGHT PER SLAB IN KGS		146			WEIGHT PER SLAB IN KGS		230				





Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF IBIS	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5 (15mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< ¹²) / Posh ≥P1(^{12,24})	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished

** Except Hydrofluoric Acid & it's compound

Tiles Intended for use on floor

As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Glossy & Matt	Color Body	1600x3200mm	12mm	1pc	55.11 Sq. ft.	146 Kgs. Approx.
Glossy & Matt	Color Body	1600x3200mm	20mm	1pc	55.11 Sq. ft.	230 Kgs. Approx.



DEX SMART A.Ş.

 0 (537) 913 64 08

 www.dexstone.com.tr

 info@dexstone.com.tr

 Mahmutşevketpaşa, Profesör Aziz Sancar Cad.
No : 2, 34829 Beykoz / İSTANBUL

 Notwendestrasse 2,
67071 Ludwigshafen